



REV.	DESCRIPTION	DATE	DRAWN	CHECKED	APPRO.
△					
△					
△					



- NOTE**
1. Coating color : WHITE
  2. FAN & MOTOR wiring must be done according to circuit.
  3. COOLING CAPACITY : 2854W ( Air inlet Temp. 0°C, Evap Temp -8°C)
  4. AIR VOLUME : 1755 CMH
  5. After commissioning the product, make sure to ship it.

**SPECIFICATION**

MODEL	COIL SPEC.	PIPE PITCH	FIN SPACING	FAN	MOTOR	DEFROST HEATER		INLET	INLET	DRAIN
						COIL	DRAIN			
TSS030M	3/8" SR 7S 960EL	R=27.5 S=31.75	6.0	φ250 x 3EA	1Ph 220V 19W 4P 50Hz x 3EA	0.99kW x	1.16kW x	φ12.7	φ15.88	25A

NO.	N A M E	MTR'L	S	P	E	C	Q'TY	REMARK
11	FAN COVER	PPU150					3	
10	MOTOR BRACKET	SGCC					1	
9	ANCHOR BRACKET	SGCC					4	
8	SIDE COVER-U	AL					1	
7	SIDE COVER-H	AL					1	
6	U-BEND COVER	AL					1	
5	HEADER COVER	AL					1	
4	FRONT PANEL	AL					1	
3	DRAIN PANEL	AL					1	
2	TOP PANEL	AL					1	
1	COIL ASS'Y						1	

PROJECT T S S 0 3 0 M

DRAWING of.	UNIT COOLER ASSY	DWG.No	
SCALE	Reg.Q'TY	REV.No	

DESIGNED	DRAWN BY	CHECKED	APPROVED
N A M E	LEE MIN HWAN		
D A T E	2016. 12. 17		

